



Automatic wall-mounted stainless steel soap dispenser h1220

Touchless automatic dispenser in polished AISI 304 stainless steel, Ø112 mm. Infrared dispensing with variable flow rate for maximum hygiene and savings.

The **automatic soap dispenser** for wall installation represents an advanced technological solution for hygiene management in high-traffic restrooms. The structure integrates a **touchless dispensing system** based on infrared photo-sensors, which eliminates the need for physical contact, drastically reducing the risk of cross-bacterial contamination. The outer shell is made of **AISI 304 stainless steel** with a polished finish, the material of choice for mechanical resistance and anti-corrosive properties, completed by technical ABS components for the upper and lower terminals.

Technical features


- **Dimensions:** Upper Ø 112 mm x h. 217 mm (Ø base 100 mm)
- **Materials:** AISI 304 stainless steel and high-resistance technical ABS
- **Finish:** Mirror-polished steel
- **Activation system:** Electronic infrared sensor
- **Dispensing:** Variable flow pump (adjustable from 0.8 to 6.5 ml)
- **Tank capacity:** 650 ml
- **Safety:** Upper cover equipped with anti-vandal lock
- **Power supply:** Electrical for operational continuity
- **Installation:** Wall mounting

Image for illustrative purposes only

INFORMATION

- **Height in millimetres** 217.000000
- **Capacity** 0,6 lt
- **strengths** automatici, in acciaio, per sapone liquido
- **Width in millimetres** 112.000000
- **Depth in millimetres** 112.000000
- **supply** electric

Automatic wall-mounted stainless steel soap dispenser h1220



Automatic wall-mounted stainless steel soap dispenser h1220

Height in millimeters: 399 mm

Capacity: 0,6 lt

Width in millimeters: 401 mm

Depth in millimeters: 400 mm

Supply: electric