



HOLITY.COM

Blood collection and therapy chair with 3 motors h602_02

Blood collection and donation chair in steel. Available in various colors.

Blood collection-donation and multifunction chair. Steel structure fully **painted** with epoxy powder with antimicrobial characteristics. High load capacity: **230 kg**. Excellent comfort and practicality in use. **Seat, backrest and leg rest** are covered in **class 1 IM fireproof sky, antibacterial, antifungal, disinfectable and wear-resistant**. Standard equipment kit of **4 wheels** with foot brake. The **electrical controls** are managed by a handset and only the lifting control can also be controlled via foot control. The chair can be used for multiple diagnostic and therapy applications. This **blood collection chair** has **3 low-voltage motors** and the **backrest and leg rest movements** are synchronized. Independent **electrical movements**: electric lifting, **180° electric** backrest angle, electric leg rest, electric trendelenburg. **Polyurethane armrests** synchronized with the backrest and adjustable in rotation: for the specific blood collection function alone, it can be requested equipped with blood collection armrests.

Technical features:

- 3-motor electric adjustment
- Power supply voltage: 230 V – 50 Hz
- Low voltage motors 24 V-DC
- Lifting capacity: 230 Kg
- Protection degree: IP54
- Chair weight: 131 Kg
- Maximum seat height (from the ground): 510-910 mm
- Available in various colors

Options:

- adjustable headrest

**Upon quotation, it is possible to add other options e.g. tray, paper holder, emergency battery, USB port, IV pole. Upon request, it is also possible to have other colors to choose from the attached photos*

INFORMATION

- **flow rate** 230 Kg
- **Operation** Elettrico
- **type height** variable

Blood collection and therapy chair with 3 motors h602_02



HOLITY.COM



HOLITY.COM



HOLITY.COM



HOLITY.COM



HOLITY.COM




HOLITY.COM



HOLITY.COM



HOLITY.COM



- A. 510 mm
- B. 1250 mm
- C. 1200 mm
- D. 910 mm
- E. 1880 mm
- F. -15°
- G. 835 mm
- H. 560 mm
- I. 0° - 90°
- J. -5° - 90°



HOLITY.COM



HOLITY.COM



HOLITY.COM