



Cable protector ramp 35 x 38 mm h972_72

Rubber cable protector with 2 channels 38 x 35 mm and high-visibility yellow cover. Dimensions: L 1000 x W 250 x H 50 mm.

The **H972_72 temporary cable protector ramp for industrial areas** is designed to **protect cables and hoses safely and visibly** during temporary installations in environments such as **construction sites, trade fairs, events, logistics or industrial areas**. Made of **durable rubber** with a **yellow thermoplastic top cover**, it ensures **maximum visibility** even in low light conditions, reducing the risk of tripping and damage to cables.

It is equipped with **two internal channels of 38 x 35 mm** each, perfect for housing electrical cables, flexible conduits or light piping. The structure supports the passage of vehicles up to **15 tons per axle**, making it ideal for light and moderate vehicular traffic. However, **it is not suitable for the passage of forklifts** with polyamide or rubber wheels nor for use in high-intensity traffic road crossings.

Thanks to the **reverse dovetail connectors** on both sides, it is possible to join several elements in series to cover longer lengths. The presence of an **integrated handle** facilitates **transport, handling and installation**, making it perfect for temporary uses and easily removable.

Temperature resistant between -20° and +60°, the product adapts to multiple environmental conditions without losing flexibility or protective capacity.

Safely protect your cables and hoses in temporary environments! Order the **H972_72 cable ramp** or request a quote for corporate and industrial supplies.

Technical characteristics:

- **Main material:** rubber with thermoplastic cover
- **Color:** black with high-visibility yellow top
- **Length:** 1000 mm
- **Width:** 250 mm
- **Height:** 50 mm
- **Number of channels:** 2
- **Channel dimensions:** 38 x 35 mm
- **Weight:** 9.00 kg
- **Load resistance:** up to 15T per axle
- **Interconnection:** with reverse dovetail connectors
- **Operating temperature:** from -20° to +60°
- **Transport handle:** integrated
- **Assembly:** quick and tool-free
- **Fixings:** not included
- **Use:** temporary – not suitable for permanent installations or busy road crossings

User benefits:

- **Protection:** effective protection of cables and hoses in temporary contexts.
- **High visibility:** for greater safety in work environments.
- **Resistant:** to light traffic up to 15T per axle.
- **Easy:** to transport and install without tools.
- **Modularity:** via dovetail connectors to cover extended lengths.

FAQ:

1. **How many cables can I insert in the ramp?**

The ramp has 2 channels of 38 x 35 mm each, sufficient for several low/medium section cables.

2. **Can it withstand the passage of forklifts?**

No, it is not suitable for forklifts, especially those with rubber or polyamide wheels.

3. **Is it suitable for permanent use?**

No, it is designed for temporary use, such as trade fairs, construction sites, events, etc.

4. **Is it possible to connect multiple ramps together?**

Yes, thanks to the reverse dovetail connectors, it is possible to create a continuous line.

5. **Is it weather-resistant?**

Yes, it withstands temperatures from -20° to +60°, perfect for indoor and outdoor use.

Mini purchase guide:

Temporary cable protector ramps are essential in environments where cables and hoses cross transit areas, preventing damage and accidents.

It is important to choose a model with **high mechanical resistance**, **high visibility** and **ease of installation**.

The H972_72 model offers **2 large channels**, supports up to **15T per axle** and can be transported and installed quickly, making it ideal for **mobile construction sites, trade fairs, events and industrial environments**.

For environments with intense traffic or heavy vehicle passage, it is recommended to evaluate permanent solutions with higher load classes.

Temporary cable protector ramp, industrial rubber cable protector, cable protection for events and trade fairs, cable ramp with 2 channels 38x35 mm, 15-ton drive-over cable ramp, visible black and yellow cable ramp, rubber cable cover for construction sites, cable protector for temporary use.


**Images for illustrative purposes only.*

**Upon request and subject to a quote, it is possible to add corners, crossings, and end caps.*

**Upon request and subject to a quote, fixings for asphalt or concrete can be requested.*

INFORMATION

Cable protector ramp 35 x 38 mm h972_72



Cable protector ramp
35 x 38
mm h972_72

Numbr: 2