Namiti S.r.l. - P. Iva 06162571217 - N. Rea: 799272
Sede leg.: Via Cortile, 16 - 80069 Vico Equense (NA)
Sede Op.: Corso Italia, 192 - 80063 Piano di Sorrento (NA)
Email: vendite@holity.com / Tel. 0818087452



Charging station for electric cars h766_07

Charging station for electric cars with 2 Type 2 Mennekes sockets. Three-phase max. 32A (22 kW) + Three-phase max. 32A (22 kW).

Electric vehicle charging station made of **painted sheet steel** and **plexiglass front panel** with **customizable graphics of your choice.** This tool is capable of allowing electric car charging via **2 Type 2 Mennekes sockets** with **contact shutters and anti-extraction interlock. Basic three-phase version max. 32A (22 kW) + three-phase max. 32A (22 kW)**. Each socket is equipped with a **Type B residual current circuit breaker**. Equipped with a **MID certified energy meter** and **LED visual interface** which, thanks to the guided legend, allows anyone to refuel. The electric car charging station, **produced and made in Italy,** is designed for **floor fixing** and is perfect for placement in public areas or parking lots of hotels, guest houses, b&bs and holiday homes.

Technical features:

- Made in Italy
- Made of painted sheet steel

- Dimensions: W. 350 x D. 280 x h. 1300 mm
- Fixing: ground-mounted
- Weight: approx. 50 kg
- Basic three-phase version max. 32A (22 kW) + three-phase max. 32A (22 kW)
- 2 Type 2 Mennekes sockets with one-hand shutter and anti-extraction interlock
- Type B residual current circuit breaker on each socket
- Overcurrent and short circuit protection
- MID certified energy measurement
- LED visual interface
- Mode 3 charging with PWM pilot circuit
- Control system with detection of correct cable insertion, charging status signaling, availability signaling for each individual socket
- Automatic charging reset following a power supply interruption
- Power supply type: 3F+1N+PE
- Nominal supply voltage: 400 Vac
- Frequency: 50-60 Hz
- Protection degree: IP44
- Operating temperature: -25°C +40 °C
- Equipped with plexiglass front panel with E-CORNER screen printing (customizable on request)
- 1 backlit 2x16 line LCD display
- 2 multi-color LEDs for socket status signaling
- USB port (internal)
- Vehicle charging cables are not included
- Compliant with current regulations

** It is possible to customize the graphics of the plexiglass front panel and the color of the charging station as desired.*

** On request and subject to a quote, it is possible to install a paid service for charging electric vehicles.*

**Images purely indicative.*

INFORMATION

- **Height in millimetres** 1300.000000
- **Length in millimetres** 350.000000
- **Depth in millimetres** 280.000000

Charging station for electric cars h766_07



