



Convertible trolley 2 pneumatic wheels and 2 solid wheels h55_96

3-position welded steel convertible trolley, load capacity up to 400 kg. Dimensions 560x550x1250 mm, ideal for heavy logistics and HoReCa.

The **convertible crate trolley** represents a versatile solution for manual load handling, designed to adapt to different operational needs thanks to its ability to be configured in **3 different positions**. The **welded steel** structure, finished with epoxy powder coating in green **RAL 6018**, guarantees high mechanical resistance and protection against corrosion, making it suitable for industrial, commercial, and hospitality contexts such as warehouses, factories, bars, and restaurants.

Ergonomics is ensured by **non-toxic rubber grips** that facilitate handling, while the movement system rests on a mixed group of **4 wheels**: two large-diameter pneumatic wheels for uneven terrain and two swivel solid rubber wheels for maximum maneuverability in tight spaces. The possibility of varying the setup allows switching from vertical transport for light packages to an inclined or platform configuration for heavy and stacked loads, optimizing weight distribution and reducing operator fatigue.

Technical features

- **Total dimensions:** W. 560 x D. 550 x h. 1250 mm

- **Weight:** approx. 21 kg
- **Loading plate dimensions:** 420 x 220 mm
- **Capacity in 2-wheel configuration:** 300 kg
- **Capacity in 4-wheel configuration:** 400 kg
- **Material:** welded steel with epoxy powder coating
- **Color:** green RAL 6018
- **Main wheels:** 2 pneumatic with steel rim Ø 260 mm
- **Tire specifications:** 4-ply (4PR), iron body, rolling on roller bearing, maximum pressure 2.5 bar (36 psi)
- **Support wheels:** 2 swivel solid rubber Ø 125 mm
- **Handle:** ergonomic with non-toxic rubber grips
- **Supply condition:** assembled
- **Compliance:** CE certification

Image for illustrative purposes only

INFORMATION

- **Width in millimetres** 560.000000
- **Depth in millimetres** 550.000000
- **Height in millimetres** 1250.000000
- **capacity** 400 kg
- **Wheels** ruote pneumatiche
- **typology** pala

Convertible trolley 2 pneumatic wheels and 2 solid wheels h55_96



Convertible trolley 2 pneumatic wheels and 2 solid wheels h55_96

Capacity: 400 kg

Typology: pala

Wheels: ruote pneumatiche