



Convertible trolley with toe plate on 3 wheels h55_94

Convertible crate trolley in painted steel. 3 use configurations, capacity up to 300 kg and solid rubber wheels for professional use.

The **convertible crate trolley** is a multifunctional solution designed to optimize manual handling operations in industrial and logistical contexts. Its structure allows the device to be configured in **three different positions** (vertical, inclined on three wheels or with a horizontal platform) with the use of only one hand, adapting instantly to the volume and weight of the goods. Made of **welded steel** with a green RAL 6018 epoxy powder finish, the trolley is built to withstand prolonged mechanical stress, ensuring stability and safety thanks to the integrated wheel system and the ergonomics of the contact points.

Technical specifications

- **Total dimensions:** 500 x 1200 mm

- **Weight:** approx. 21 kg
- **Toe plate dimensions:** 420 x 220 mm
- **Capacity 2-wheel configuration:** 200 kg
- **Capacity 3-wheel configuration:** 300 kg
- **Material:** epoxy powder-coated welded steel
- **Color:** green RAL 6018
- **Rolling system:** 2 solid rubber wheels Ø 200 mm and 1 solid rubber swivel caster Ø 125 mm
- **Safety:** non-toxic rubber grips and ergonomic handle
- **Supply condition:** supplied fully assembled
- **Certifications:** complies with EC regulations

Image for illustrative purposes only

INFORMATION

- **Height in millimetres** 1200.000000
- **capacity** 300 Kg
- **Wheels** ruote piene
- **typology** pala

Convertible trolley with toe plate on 3 wheels h55_94



Convertible trolley with toe plate on 3 wheels h55_94

Capacity: 300 Kg

Typology: pala

Wheels: ruote piene