



Crate trolley 200 kg pneumatic wheels h55_100

Electro-welded steel crate trolley with straight back, pneumatic wheels Ø 260 mm and 200 kg capacity. Ideal for bulky loads and industrial use.

The **straight back crate trolley** is a professional solution designed for the manual handling of packages, crates, and bulky parcels in industrial and logistical contexts. The **electro-welded steel structure** guarantees high torsional stability, while the epoxy powder coating ensures long-lasting protection against wear and external agents. Thanks to the straight back, the trolley allows for secure planar support for squared loads, optimizing balance during transport.

Technical features

- **Dimensions:** W. 430 x D. 510 x h. 1080 mm
- **Weight:** approx. 9 kg
- **Load plate dimensions:** 320 x 250 mm
- **Maximum capacity:** 200 kg
- **Material:** welded steel with epoxy powder finish

- **Wheels:** 2 pneumatic with inner tube Ø 260 mm
- **Tyre specifications:** 4-ply tread, nylon body, rotation on roller cage
- **Maximum pressure:** 2.0 Bar (30 Psi)
- **Handle:** ergonomic non-toxic rubber grips
- **Configuration:** supplied assembled and ready for use
- **Compliance:** CE certification

Image purely indicative

INFORMATION

- **Width in millimetres** 430.000000
- **Depth in millimetres** 510.000000
- **Height in millimetres** 1080.000000
- **capacity** 200 Kg
- **Wheels** ruote pneumatiche
- **typology** pala

Crate trolley 200 kg pneumatic wheels h55_100



Crate trolley 200 kg pneumatic wheels h55_100

Capacity: 200 Kg

Typology: pala

Wheels: ruote pneumatiche