



Crate trolley with forks and puncture-proof wheels h55_104

Steel crate trolley with straight back, loading forks and 260 mm puncture-proof wheels. Capacity 200 kg, ideal for small pallets. This **straight-back crate trolley** is specifically designed to optimize the lifting and handling of small pallets and crates directly from the ground. The **electro-welded steel structure** gives the vehicle the necessary rigidity for intensive use in professional environments, while the **acrylic powder coating** ensures long-lasting protection against wear and oxidation. The **ergonomic handle**, complete with non-toxic rubber grips, facilitates load control even at full operational capacity.

Technical features

- Total dimensions: W. 490 x D. 560 x H. 1250 mm

- Operating weight: approx. 11.5 kg
- Loading forks dimensions: W. 255 x D. 290 mm
- Internal clearance between forks: 210 mm
- Maximum load capacity: 200 kg
- Construction material: welded steel with acrylic powder finish
- Rolling system: 2 puncture-proof wheels with steel rim Ø 260 mm
- Wheel composition: painted sheet metal core and black polyurethane ring with tread
- Handle: ergonomic with non-toxic rubber grips
- Supply status: product supplied assembled
- Regulatory compliance: compliant with CE standards

Image purely indicative

INFORMATION

- **Width in millimetres** 490.000000
- **Depth in millimetres** 560.000000
- **Height in millimetres** 1250.000000
- **capacity** 200 Kg
- **typology** pala

Crate trolley with forks and puncture-proof wheels h55_104



Crate trolley with forks and puncture-proof wheels h55_104

Capacity: 200 Kg

Typology: pala