



Diesel and AdBlue transport container h1042_04

Combined Diesel and AdBlue transport container h1042_04 (440 L + 50 L) in LLDPE polyethylene, ADR 1.1.3.1 c) approved. Supplied assembled with lid, double 12V electric pump, and automatic nozzle.

The **Diesel and AdBlue transport container h1042_04** represents a single compact and space-saving system developed for efficient on-site refueling of both fluids. The 440-liter main tank is suitable for Diesel, Biodiesel, HVO, and heating oil, while the secondary compartment is dedicated to AdBlue® with a capacity of 50 liters. Made of high-quality single-walled uncoated polyethylene (PE / LLDPE) in grey with an orange lid, the system is approved for transport intended for immediate consumption according to the ADR 1.1.3.1 c) craftsmen rule. The structure integrates a nozzle holder, a filling neck, a vent with pressure relief for increased safety, forklift pockets, ergonomic handles, and dedicated recesses for secure fastening with ratchet straps during transport. It is supplied fully assembled and is equipped with an electric pump with 12V DC operating voltage, a maximum flow rate of 40 l/min, a 4.8-meter delivery hose (DN 19 diameter), an automatic diesel nozzle, and a 4-meter electric cable equipped with battery clips.

Technical features

- **Main volume:** 440 l
- **Secondary fluid volume (AdBlue®):** 50 l
- **External dimensions (L x W x H):** 118 x 80 x 85 cm
- **Weight:** 60 kg
- **Usage:** Mobile
- **Installation location:** Transport
- **Material:** LLDPE (high-quality polyethylene)
- **Coating:** Uncoated
- **Tank color:** Grey
- **Lid color:** Orange
- **Lid:** Yes
- **Operating voltage:** 12V DC
- **Pump drive:** Electric pump
- **Max. flow rate:** 40 l/min max.
- **Delivery hose length:** 4.8 m
- **Hose diameter:** DN 19
- **Stackable:** Yes
- **Forklift pockets:** Yes
- **ADR indication:** According to ADR 1.1.3.1 c)
- **Nozzle:** Automatic for diesel
- **Cable length:** 4 m
- **Connector:** Battery clips
- **Suitable fluids main compartment:** Diesel, Biodiesel, HVO, Heating oil
- **Suitable fluid secondary compartment:** AdBlue®
- **Assembly status:** Assembled
- **Warranty in years:** 2

** Images for illustrative purposes only*

INFORMATION

- **Adatto per** Diesel
- **Capacità** 440 L



Diesel and AdBlue transport container h1042_04

: Diesel
: 440 L