



HOLITY.COM

Boundary bollard with 3 mm thick tubular steel structure and 60 mm diameter. Above ground height: 1006 mm

Traffic bollard ideal for traffic management and the delimitation of pedestrian or private areas. With **steel structure** complete at the end with an **oval-shaped aluminum element**. The joint between the aluminum terminal and the steel tube is of the **mechanical** type, with the peculiarity of having no visible screws. Fixing involves **burying the base 200 mm** into the ground. Finished with **anti-corrosive** protection through the “**Triplex System**” which involves, in a single treatment, hot-dip galvanizing as base protection and a polyester powder coating as surface finish. The bollard features an **elegant design** that makes it suitable for use in historic centers or public gardens.

Technical features:

- Diameter: 60 mm
- Total height: 1206 mm
- Above ground height: 1006 mm
- Part to be buried: 200 mm
- Material: steel
- Fixing: to be embedded
- Weight: 6.5 kg


INFORMATION

- **Material** acciaio
- **reflective band** no
- **Diameter** 60.000000
- **fixing** da inghisare
- **Typology** Senza anelli
- **Height in millimetres** 1006.000000

Boundary bollard h19128



HOLITY.COM



Dimensioni				
Ø	H	H1	Kg	
60	1006	1206	6,5	

HOLITY.COM

Boundary bollard h19128

Material: acciaio
 Reflective band: no
 Diameter: 575 mm
 Fixing: da inghisare
 Typology: Senza anelli
 Height in millimeters: 399 mm