



Steel traffic bollard h19124

Boundary bollard with a 3 mm thick tubular steel structure and a conical-shaped terminal.

Traffic bollard to be used for the delimitation of urban areas.

Made of **tubular steel** with a conical aluminum element at the upper end available in two different finishes.

Finished with **corrosion protection** via the "Triplex System" which provides in a single treatment, hot-dip galvanizing as base protection and an 80-micron thick micaceous gray polyester powder coating as surface finish.

As standard, the bollard is equipped with an anti-rotation system to be buried in the ground by casting a portion of it directly in place.

A 20 cm burial in the ground is required for fixing.

Technical features:

- Diameter: 60 mm

- Total height: 1140
- Height above ground: 940
- Material: steel with conical aluminum element
- Color: micaceous gray
- Fixing: to be grouted


INFORMATION

- **Material** acciaio
- **reflective band** no
- **Diameter** 60.000000
- **fixing** da inghisare
- **Typology** Senza anelli
- **Height in millimetres** 940.000000

Steel traffic bollard h19124



HOLITY.COM



Misure dissuasore				
D	H	H1	Kg	
60	940	1140	6	

HOLITY.COM

Steel traffic bollard h19124

Material: acciaio

Reflective band: no

Diameter: 575 mm

Fixing: da inghisare

Typology: Senza anelli

Height in millimeters: 399 mm