



HOLITY.COM

Electric bike charging station h617_01

E-bike charging station with 2 Schuko sockets and maintenance kit. Available in various colors.

Electric bike charging station, ideal for installation in public spaces near bicycle parking areas and cycle paths. Equipped with a universal connection with **2 Schuko sockets**. Supplied complete with **maintenance tools** and **tire inflation pump**. The structure is made of aluminum with stainless steel bolts and features 4 holes at the base for ground fixing. The material is highly resistant and maintenance-free.

Technical features:

- Dimensions: W44 x D30 x H150.4 cm
- Mounting bracket: 21 cm
- Weight: 18.5/20 kg
- Material: galvanized aluminum with stainless steel bolts
- With 2 Schuko sockets
- With tire inflation pump with universal connection
- Maintenance tool set included (1 Phillips screwdriver, 1 flathead screwdriver, 1 adjustable wrench from 0/22 mm, 2 tire levers, 1 14/15 mm open-end wrench + 1 12/13 mm open-end wrench, 1 hex key set from 2.5 to 10 mm)
- **Available in various colors or of the customer's choice with relative surcharge**
- It is recommended to cover the structure during the winter period
- The electrical connection must be made by an electrician or a professional.

SOCKETS

- 2 Schuko sockets
- Safety shutters
- Socket type (category): built-in socket
- Protection type: IP65

SWITCH:

- N. 1/2 Residual current circuit breakers with overcurrent protection Id 0.003mA
- Tripping delay time: INSTANTANEOUS

- Rated current: 25/22 A
- Compliant with standard: CEI EN 61008
- Signal light: voltage presence

Optional:

- n. 2 two-seater side bike racks

****Technical design specifications may be subject to changes***

****Image purely indicative***

The electric bike charging station h617_01 is also available on the MEPA portal. Find out how to find our company on the [Public Administration portal](#).

INFORMATION

- **Length in millimetres** 440.000000
- **Height in millimetres** 1504.000000
- **Operation** Accesso libero
- **Depth in millimetres** 300.000000
- **Strengths** Con attrezzi di manutenzione

Electric bike charging station h617_01



HOLITY.COM

Electric bike charging station h617_01

Operation: Accesso libero

Number of Sockets/Chargers: 2