



Emergency shower with eyewash h641_09

Safety shower with eyewash. Material: galvanized steel and ABS. Dimensions: W60 x H220 cm.

Emergency shower with built-in eyewash, ideal for allowing rapid intervention in case of contamination of the body and eyes with irritating or harmful substances, so as to minimize damage to workers. Designed for use in outdoor work environments such as construction sites. Consisting of a **green galvanized steel structure** and equipped with an **ABS eyewash featuring 2 sprayers with dust caps and an ABS shower head**. Operation is manual and takes place via a lever located at the top. The emptying is automatic and anti-freeze, specifically designed to allow outdoor use. The base is prepared for floor anchoring.

Technical features:


- Dimensions: W60 x H220 cm
- Use: outdoor
- Manual operation via lever

- Floor fixing
- Shower head in green ABS RAL 6029
- Eyewash in ABS RAL 6029
- Galvanized steel pipes + green epoxy paint RAL 6029
- Supply: F1"
- Drain: F1 1 / 4"
- Eye wash flow (L/min): 11
- Shower flow (L/min): 75
- Weight (kg): 36
- Product compliant with standards EN 15154-1 and EN 15154-2
- Product compliant with article R. 4224-14 of the Labor Code
- Product compliant with ISO 3864

INFORMATION

- **Activation** Manual
- **Type** con lavaocchi
- **fixing** floor

Emergency shower with eyewash h641_09



Emergency shower with eyewash h641_09

Drive: Manual

Typology: con lavaocchi

Fixing: a pavimento