



Goods transport trolley 200 kg pneumatic wheels h55_103

Electro-welded steel crate trolley, 200 kg capacity, dimensions 490x560x1250 mm. Pneumatic wheels and ergonomic handle for intensive use.

The **professional crate trolley** represents an indispensable solution for the manual handling of loads within warehouses, commercial areas, and industrial contexts. Designed to handle various types of packages, crates, and boxes, this tool solves critical issues related to the transport of heavy or bulky items, ensuring stability and operational safety. The structure is made of high-quality **electro-welded steel**, finished with **epoxy powder coating** which ensures high resistance to wear and corrosive agents.

Technical specifications

- **Total dimensions:** L. 490 x D. 560 x h. 1250 mm
- **Operating weight:** approx. 12 kg
- **Loading plate dimensions:** 320 x 250 mm
- **Maximum capacity:** 200 kg
- **Material:** Welded steel with epoxy powder finish
- **Structure:** Straight back for optimal load support
- **Wheel system:** 2 pneumatic wheels with nylon rim Ø 260 mm
- **Tire specifications:** 4-ply rating, nylon body, rolling on roller cage, maximum pressure 2.0 Bar (30 Psi)
- **Ergonomics:** Non-toxic rubber grips with ergonomic safety handle
- **Compliance:** Product compliant with current CE standards
- **Delivery status:** The trolley is supplied already assembled and ready for use

Image for illustrative purposes only

INFORMATION

- **Width in millimetres** 490.000000
- **Depth in millimetres** 560.000000
- **Height in millimetres** 1250.000000
- **capacity** 200 Kg
- **Wheels** ruote pneumatiche
- **typology** pala

Goods transport trolley 200 kg pneumatic wheels h55_103



Goods transport trolley 200 kg pneumatic wheels h55_103

Capacity: 200 Kg

Typology: pala

Wheels: ruote pneumatiche