



Heating jacket for drums Ø 280 mm 25 lt h995_10

Thermal jacket for drums Ø 280 mm 25 lt, adjustable thermostat 0 – 90°C. Dimensions: L 1020 x H 400 mm.

The **heating jacket for 25-liter drums H995_10**, is designed for the controlled heating of **plastic or metal drums** with a diameter of **Ø 280 mm**, typically used in the **industrial, chemical, food, and cosmetic** sectors. It is an effective solution for maintaining the **ideal working temperature**, preventing **liquid solidification**, and optimizing the fluidity of viscous or cold-sensitive products.

The jacket fits perfectly around the drum and is available with a **thermostat: 0/90°C** for faster heating, suitable for metal drums. The **heating is uniform and progressive**, avoiding localized overheating or damage to the product inside.

The inside of the jacket is made with an **elastomer compound on fiberglass fabric**, while the exterior is made of **durable nylon**, ensuring **sturdiness, thermal insulation, and resistance to chemicals**. The system is powered by a **4-meter cable with plug**, which allows good freedom of movement during use.

With an **installed power of 200 W**, it is perfect for processes requiring **precise thermal control** on small quantities of product, improving the efficiency of production processes and the quality of the treated mixtures.

Simplify the thermal management of your 25-liter drums with a **professional H995_10 jacket**. Order now or contact us for a dedicated offer on large quantities.

Technical features:

- **Power supply:** 230 V / single-phase
- **Installed power:** 200 W
- **Thermal insulation:** Fiberglass
- **Thermostat:** Adjustable 0 – 90°C
- **Outer material:** Nylon
- **Inner material:** Elastomer compound on fiberglass fabric
- **Power cable:** 4 meters with Schuko plug (CEE 7/17)
- **Protection degree:** IP40
- **Application:** Plastic or metal drums Ø 280 mm 25 liters
- **Dimensions:** 1020 mm (circumference) x 400 mm (height)
- **Intended use:** Industrial indoor environments

User benefits:

- **Suitable:** for both plastic and metal drums.

- **Heating:** uniform, prevents damage to contents.
- **Thermostat:** for greater safety of use.
- **Ideal:** for maintaining product temperature and viscosity.
- **Easy:** to install and remove.
- **Reduces:** processing times by preventing contents from cooling.

FAQ:

1. **Can I use this jacket with plastic drums?**
Yes, it is compatible with plastic drums. For this type of container, we recommend using the model with a 0/40°C thermostat.
2. **Is a technician required for installation?**
No, the jacket is designed for quick and easy application without tools.
3. **Can it be used outdoors?**
No, it is intended exclusively for indoor environments. The material is not certified for outdoor use or in humid environments.
4. **How much does it consume?**
The power is 200 W, optimized for 25-liter drums. It is sufficient for efficient heating without energy waste.
5. **Is it available with different temperature settings?**
Yes, the product is available with a 0 – 90°C thermostat.

Buying guide:

When working with **25-liter drums** containing substances that require a specific **processing temperature**, it is essential to have an efficient heating jacket.

Choosing the **appropriate thermostat** is crucial: for **metal** containers, the 0 – 90°C version is preferable; for plastic drums, adjust the thermostat to a lower temperature.

Also consider the **power in watts** (200 W in this case), which ensures a good balance between efficiency and safety.

Always verify that materials are **durable and certified for industrial use**, as in this model, with insulating and chemical-resistant coatings.

25-liter drum heating jacket with Ø 280 mm, 25 lt plastic metal drum heater, 230V 200W thermal jacket, drum heater with adjustable thermostat, small drum heating jacket, heating jacket for chemical drums.

**Image is purely indicative.*

INFORMATION

- **Suitable for kegs 25 litri**

Heating jacket for drums Ø 280 mm 25 lt h995_10

Heating jacket for
drums Ø 280
mm 25 lt
h995_10

Suitable for kegs: 25 litri

