Namiti S.r.l. - P. Iva 06162571217 - N. Rea: 799272
Sede leg.: Via Cortile, 16 - 80069 Vico Equense (NA)
Sede Op.: Corso Italia, 192 - 80063 Piano di Sorrento (NA)
Email: vendite@holity.com / Tel. 0818087452



Loading platform for logistics without edges h1026_06

Non-slip aluminum platform, without side edges. Length: 179.1 cm. Upright height: 6.5 cm. Capacity: 1000 kg.

The **H1026_06 loading platform** is designed to meet the operational needs of companies active in the **logistics, transport, events, beverage delivery, and removals** sectors, offering a practical, safe, and highly versatile solution for **loading and unloading** operations.

Entirely made of **aluminum with a non-slip surface**, this platform ensures **high grip** and a stable surface, even in the presence of **manual pallet trucks, light trolleys, or equipment with rubber wheels**. The **absence of side edges** guarantees **maximum freedom of movement** from both sides, making this ramp ideal for **dynamic contexts and high-frequency use**.

The **aluminum tongue anchoring system**, included in the equipment, is designed to **move along the entire width** of the platform and **rotate in the head**, ensuring a secure and adaptable fixing to different types of surfaces. The **head end caps** prevent the tongue from coming out, ensuring safe use.

The **lightweight and removable structure**, combined with a **capacity of 1000 kg at 1000 mm pitch**, makes this platform perfect for daily operations in warehouses or any other goods handling point.

Simplify your logistics operations! Buy the **H1026_06 platform** now, lightweight, safe, and without edges, ready for use.

Technical characteristics:

- **Type:** removable platform without edges
- **Material:** aluminum
- **Walking surface:** non-slip
- **Standard length (L):** 1791 mm
- **Internal width (A):** 940 mm
- **External width (B):** 1000 mm
- **Upright height (D):** 65 mm
- **Capacity:** 1000 kg at 1000 mm pitch
- **Unit weight:** 27 kg
- **Anchoring system:** movable aluminum tongue + head end caps

User benefits:

- **Maximum:** freedom of loading and unloading thanks to the absence of edges.
- **Surface:** non-slip for safe operations.
- **Fixing:** adjustable with movable aluminum tongue.
- **Structure:** removable, lightweight, and easy to position.

- **Ideal:** for logistics, removals, events, and distribution.

FAQ:

1. **Is the platform suitable for trolleys or pallet trucks?**
   Yes, it is perfectly compatible with manual pallet trucks, trolleys, and light equipment.
2. **What advantages does the absence of edges offer?**
   It allows maneuvering from both sides, making operations faster and more flexible.
3. **How is it fixed to the vehicle or the dock?**
   Thanks to an adjustable aluminum tongue, included, which ensures a secure installation.
4. **Is the platform equipped with edges?**
   No, the platform is not equipped with edges.
5. **What is the load capacity?**
   It supports up to 1000 kg distributed, ideal for heavy loads in professional environments.

Mini buying guide:

If your business involves frequent loading and unloading operations, an **aluminum platform without edges like the H1026_06** is the ideal choice.

The **absence of side barriers** allows for a smoother management of loads from both sides, while the **non-slip structure** ensures safety and stability.

The **adjustable anchoring system** facilitates its use in dynamic environments such as warehouses, fairs, or distribution points.

Lightweight, robust, and functional, it is a **professional solution for optimizing operational times**.

Loading platform logistics without edges, aluminum loading ramp H1026_06, removable non-slip platform for trolleys, ramp for pallet trucks without edges, warehouse loading unloading platform.

**Images purely indicative.*

INFORMATION

- **Load capacity** 1000 Kg
- **Side edges** Borderless

Loading platform for logistics without edges h1026_06





Loading platform for logistics without edges h1026_06

Flow rate: 1000 Kg
Side edges: Borderless

