



Monoblock protection barrier h729_44

Galvanized steel monoblock barrier, 3 sides, already assembled. Total dimensions: W 89 x D 89 x H 60.6 cm.

The **h729_44 monoblock protection barrier** is a robust and durable solution designed for **perimeter protection in outdoor environments** such as parking lots, industrial areas, cycle paths or public spaces. Thanks to its **three-sided structure** and **pre-assembled delivery**, it allows for quick and secure installation, optimizing assembly times and costs.

Made of **Ø 60 mm galvanized steel tube with 2 mm thickness**, the barrier offers **excellent resistance to corrosion**, ideal for outdoor installations and environments exposed to weathering. It is mounted on **15 x 15 cm floor fixing plates with 6 mm thickness**, equipped with **Ø 9 mm holes** for fixing via anchors or mechanical fasteners.

The **monoblock structure** guarantees **solidity and stability**, avoiding movement or deformation, even in areas subject to frequent passage of light vehicles or pedestrians. The **internal useful dimensions** of 80 x 80 cm allow effective protection of corners, machinery, bollards or other elements to be safeguarded.

Protect spaces and infrastructures with the **h729_44 barrier**: robust, ready to use and resistant over time. Request a quote now for multiple supplies.

Technical features:

- **Type:** 3-sided protection barrier
- **Structure:** monoblock, delivered already assembled
- **Material:** galvanized steel Ø 60 mm, 2 mm thickness
- **Fixing plates:** 15 x 15 cm, 6 mm thickness
- **Fixing holes:** Ø 9 mm for floor anchoring
- **Internal useful dimensions:** W 80 x D 80 x H 60 cm
- **Total external dimensions:** W 89 x D 89 x H 60.6 cm
- **Weight:** 17.50 kg
- **Installation:** floor-mounted with fixing via anchors (not included)

User benefits:

- **Ready to use:** delivered already assembled to save time.
- **High:** corrosion resistance thanks to galvanized steel.
- **Installation:** simple on any flat surface.
- **Protects:** effectively corners, equipment or sensitive areas.
- **Structure:** solid and stable, suitable for outdoor environments.

FAQ:

1. **Does the barrier arrive assembled?**
Yes, it is delivered already assembled in a monoblock version.
2. **Is floor anchoring required?**
Yes, floor fixing is required via plates with Ø 9 mm holes (anchors not included).
3. **Is it suitable for outdoor use?**
Absolutely yes. Galvanized steel guarantees protection against rain and corrosion.

4. **How much space does the barrier protect?**

The internal useful surface is 80 x 80 cm with a height of 60 cm.

5. **Can it be used in industrial environments?**

Yes, it is perfect for warehouses, parking lots, loading/unloading areas and technical zones.

Short buying guide:

When evaluating the purchase of a **protection barrier for outdoor or industrial environments**, it is essential to consider some key features. First of all, **the structure must be robust**: a galvanized steel tube like that of the h729_44 model offers high resistance to corrosion, ideal for use in variable weather conditions or in production environments.

A second important aspect is the **ease and speed of installation**. The h729_44 barrier arrives **already assembled**, which means less work for staff and greater efficiency in installation times. The **floor fixing plates** with 9 mm holes allow for stable anchoring, essential in places with frequent traffic or subject to accidental impacts.

In addition, the **3-sided shape** allows you to delimit or protect corners, equipment or areas to be preserved without completely obstructing passage, making it suitable for both **industrial environments** and public areas. It is a smart choice for those looking for **durable, easy-to-install and visually tidy protection**.

3-sided protection barrier, galvanized monoblock barrier, h729_44 barrier, galvanized steel corner protection, industrial floor barrier, galvanized safety barrier, outdoor street furniture barrier.

**Images purely indicative.*

INFORMATION

