



## Office cabinet with 2 tambour doors h976\_24

Monobloc metal office cabinet with PVC tambour doors, mm 1200x450x1200h. DC01/FeP01 steel structure 8/10 thickness, RAL 7035 grey color with 2 adjustable shelves for hanging folders.

The **office cabinet with 2 tambour doors** (model h976\_24) represents a professional furniture module of medium height, specifically designed to optimize the archiving of documents and binders in operational and executive contexts. Developed for **offices, secretarial areas, meeting rooms, associated studios, and public entities**, this cabinet is ideal for placement along walls or as a back-desk element thanks to its calibrated height of 1200 mm. The system solves the operational problem of **door footprint in corridors or narrow passage spaces**, thanks to the mechanism with sliding tambour doors that disappear laterally into dedicated recesses. Entirely made with a solid monobloc structure in first-choice DC01/FeP01 UNI EN 10130 steel with a thickness of 8/10, the cabinet guarantees maximum stability and durability over time, integrating internal sides with racks and adjustable shelves structured with a lower setup for hanging folders.

## Technical features

- **Product name:** Monobloc tambour door cabinet
- **Overall external dimensions (LxPxH):** 1200 x 450 x 1200 mm
- **Useful internal compartment dimensions (LxPxH):** 1050 x 380 x 1100 mm
- **Total number of compartments:** 1
- **Number of compartments per column:** 1
- **Structure construction material:** first-choice DC01/FeP01 UNI EN 10130 steel
- **Steel sheet thickness:** 8/10 mm
- **Total structural weight:** 61 kg
- **Logistic volume:** 0.65 m<sup>3</sup>
- **Base configuration:** plinth base in steel with a height of 60 mm
- **Body construction:** factory-welded monobloc structure, including bottom, top, and back
- **Tambour housing:** internal panels arranged to form 2 lateral cavities for the sliding disappearance of the doors
- **Side finish:** equipped with racks for shelf positioning, with a front thickness of 40 mm and rounded accident-prevention edges
- **Type of doors:** tambour doors made of PVC, sliding laterally on dedicated upper and lower PVC guides
- **Door ergonomics:** equipped with an integrated recessed handle and mechanical hook closure
- **Locking system and lock:** cylinder lock with hook, Yale type, supplied with double key
- **Internal locking mechanism:** one-way lever
- **Internal equipment and setup:** 2 adjustable shelves on rack
- **Shelf support accessories:** complete with galvanized steel shelf supports

- **Archiving setup:** shaped shelves with lower predisposition for housing hanging folders
- **Surface treatment and painting:** high-resistance epoxy-polyester powder coating
- **Body and door coloring:** RAL 7035 grey
- **Reference standards and certifications:** Declaration of conformity D.Lgs. 81/2008, EN UNI ISO 9001, EN UNI ISO 14001, UNI tests on the product and finishes

*\* Images for illustrative purposes only*

## INFORMATION

- **typology** ante serranda
- **Width in millimeters** 1000.000000
- **Depth in millimeters** 450.000000
- **Height in millimeters** 2000.000000



Office cabinet with  
2 tambour doors  
h976\_24

---

Typology: ante serranda