



Primary and secondary school chair size 3 h979_42

Ergonomic chair for primary and secondary school h979_42, size 3. With multicolored monoblock polypropylene shell, powder-coated steel frame and non-slip feet. Seat height 350 mm, stackable.

The **primary and secondary school chair size 3 h979_42** is a professional high-resistance school seat, specifically developed for **school managers, educational institution employers, school interior designers, teachers and corporate safety managers in the educational field**. This complement responds to the organizational need to set up school classrooms with ergonomic furniture compliant with students' statures, solving the operational problem of **maintaining a correct and comfortable posture during lesson hours, guaranteeing maximum stability and facilitating tidying and cleaning operations thanks to a stackable and easy-to-move structure**. As can be seen, the chair is equipped with a monoblock polypropylene shell with matching color finish and seat, and features a top carrying handle, anti-trauma rounded edges and a non-slip surface texture. The supporting base is made of robust steel tube treated with special anti-corrosion baths and epoxy painting, completed by protective feet at the base. Supplied fully factory-assembled for immediate use, the chair supports four-legged or cantilever configurations and is stackable up to 8 units.

Technical features

- **Product type:** primary and secondary school chair size 3
- **Code reference:** h979_42
- **Overall width:** 41 cm (410 mm)
- **Overall depth:** 40 cm (400 mm)
- **Total overall height:** 66.5 cm (665 mm)
- **Specific seat height (Size / Measurement):** 350 mm (size 3)
- **Seat material (Shell):** molded monoblock polypropylene
- **Ergonomic properties of the shell:** anatomical design, flexible rear reinforcement and rounded perimeter edges
- **Shell surface finish:** high-grip non-slip texture
- **Integrated shell accessories:** shaped top handle for easy transport
- **Material and specifications of the supporting structure (4 legs):** steel tube with Ø 20 mm diameter and 1.5 mm thickness
- **Material and specifications of the structure in the cantilever version:** steel tube with Ø 20 mm diameter and 2 mm thickness
- **Joining mechanism:** stable fixing of the metal structure to the shell by means of 4 screws
- **Base protection devices:** non-slip plastic feet installed on all legs
- **Metal surface treatment (Finish):** electrostatic epoxy-polyester powder coating (epoxy painting)

- **Frame anti-corrosion chemical cycle:** industrial degreasing treatment and application of nanoceramics with microcrystalline anti-corrosion bath and passivation process (increase in penetration capacity and 300% improvement in paint resistance and adhesion)
- **Available color finishes:** shell and seat configured in the same color; single color available in different variants
- **Complementary use properties:** stackable chair up to a maximum of 8 units
- **Delivery configuration:** supplied already assembled and ready for use
- **Corporate quality and management certifications:**
 - Initial inspection of our production and control system
 - Initial product type test
 - Surveillance, supervision and evaluation of the quality system
 - Tests on the raw materials of our suppliers
 - ISO 9001, 14001 and 14006 certifications for corporate management

** Images are purely indicative*

INFORMATION

- **Size** Grandezza 3
- **Material** materiale plastico

Primary and secondary school chair size 3 h979_42



Primary and secondary school chair size 3 h979_42

Size: Grandezza 3

Material: materiale plastico

