



Professional emergency trolley h564_16

Hospital emergency trolley equipped with the necessary accessories for patient emergency and resuscitation. Dimensions: W85 x D60 x H106 cm

Fully equipped emergency trolley for use in hospitals, clinics and nursing homes. With a **sturdy and stable structure** consisting of **4 painted steel uprights**. Equipped with an **upper worktop** in technopolymer (75 x 58 cm), bordered on three sides to allow for liquid containment. Complete with a **plexiglass defibrillator platform** 410x325 mm, 360° rotatable with a locking knob in the chosen position, perimeter safety rail and pre-arrangement for attaching monitor locking straps. The side and rear walls are self-supporting up to a 100 kg load, made of technopolymer, with rounded edges and no sharp corners, designed for the insertion of numerous accessories. In particular, the **right side** features an **additional pull-out worktop** in technopolymer sliding on total extraction telescopic guides with a travel limit stop, complete with an ergonomic and anti-trauma molded handle; the **left side** has an **ergonomic and anti-trauma push handle** in aluminum with plastic ends. The trolley is also equipped with a 4-hook **IV pole** adjustable in height, a **3, 5 or 7 l cylinder holder** and a **catheter-tube holder**. The front part is instead provided with **4 pull-out and interchangeable painted steel drawers**, each equipped with an anti-trauma and ergonomic handle, closure via security seals (1 pack of 100 seals included) and label holders. Base protected by **4 PVC corner bumpers** and complete with **4 thermoformed swivelling solid rubber wheels**, mounted on Ø 125 mm bearings, **2 of which with brakes and 2 antistatic**.

Technical features:

- Dimensions: W85 x D60 x H106 cm
- Material: steel, technopolymer, plexiglass
- With upper worktop dimensions 75 x 58 cm
- With plexiglass defibrillator-electrocardiograph platform, useful dimensions 410x325 mm, 360° rotatable with locking knob in the chosen position, perimeter safety rail and pre-arrangement for attaching monitor locking straps
- With ABS push handle
- With additional pull-out side worktop
- With height-adjustable IV pole with 4 very resistant hooks made of technopolymer, easily adjustable with one hand and simple to install on the trolley thanks to two painted steel supports. Dim. 1123/2100 h mm
- Support for 3, 5 or 7 l cylinders
- With catheter-tube holder. Dim. 125x70x475 h mm
- Waste bin in self-extinguishing technopolymer, removable with pedal-operated lid opening system. Capacity 15 litres. Dim. 300x175x575 h mm
- With cardiac massage board. Dim. 600x430x8h mm
- 3 drawers with ISO dimensions 600x400x140 h mm, label holder

- 1 drawer with ISO dimensions 600x400x280 h mm, label holder.
- Base with 4 anti-scratch PVC corner bumpers
- Cylinder support strap
- 4 thermoformed swivelling solid rubber wheels, mounted on Ø 125 mm bearings, 2 of which with brakes and 2 antistatic
- Closure with seal system: centralized drawer locking cylinder with seal system, practical and ergonomic, allows for easy and simultaneous closure of all drawers
- Pack of 100 coloured seals, progressively numbered
- Painting process compliant with UNI EN ISO 9001 standards
- Fronts available in the following colours: blue and grey

INFORMATION

- **Height in millimeters** 1060.000000
- **Depth in millimeters** 600.000000
- **Width in millimeters** 850.000000
- **Material** Steel

Professional emergency trolley h564_16



Professional emergency trolley h564_16

Material: Steel