



Professional footwear dryer h1034_02

Professional wall-mounted shoe dryer for 10 pairs, in stainless steel. Dimensions: W 61 x D 48 x H 200 cm.

The **model H1034_02** is a **professional shoe dryer panel** designed for high-traffic facilities such as **mountain hotels, ski centers, barracks, alpine shelters** and **operational facilities** such as those of the **firefighters**.

With a **capacity of 10 pairs of shoes**, it represents an **efficient and hygienic solution** for keeping footwear and gloves **perfectly dry and preheated**, ready for new use.

Made **entirely of stainless steel**, it is resistant to **corrosion**, **easy to clean** and designed for **humid or cold** environments, where drying speed is essential. The system works without electricity, through a **direct connection to the hot water system via a plumbing technician** (with 1/2" connections) and requires a constant temperature between **35°C and 40°C** to ensure maximum performance.

The **continuous bent rounded brackets** ensure **uninterrupted circulation of hot water**, eliminating the risk of system cooling and promoting **uniform** drying even in the **tips of the footwear**. The design also avoids lateral or downward tilting, ensuring **stability and order**.

The H1034_02 shoe dryer is **eco-friendly**, **maintenance-free** and also compatible with **children's shoes and gloves**, for complete and versatile use in every season.

Choose the quality and functionality of the **H1034_02 stainless steel shoe dryer**! Contact us for personalized offers on multiple supplies for hotels, barracks or ski facilities.

Technical features:

- **Structure:** completely in stainless steel
- **Capacity:** 10 pairs of shoes
- **Use:** adult and children's shoes, and gloves
- **Dimensions:** W 61 x D 48 x H 200 cm
- **Power supply:** connection to hot water system (via plumbing technician)
- **Connections:** standard 1/2"
- **Recommended flow temperature:** 35–40°C
- **Mounting:** wall-mounted
- **Maintenance:** not required
- **Warranty:** 5 years
- **System:** continuous rounded brackets for constant water circulation

User benefits:

- **Drying:** uniform and deep, right to the tips of the footwear.
- **System:** without electricity consumption, for eco-friendly operation.
- **Maximum:** hygiene thanks to the stainless steel structure.
- **Compatible:** also with gloves and small-sized footwear.
- **No:** maintenance intervention required over time.

FAQ:

1. **Can I install it in a mountain hotel with a boiler system?**

Yes, the panel is perfectly compatible with hot water systems via a plumbing technician, as long as they maintain a flow temperature between 35°C and 40°C.

2. **Is assembly complex?**

No, the system is designed for simple wall mounting, with standard 1/2" connections.

3. **Is the product safe for use with children?**

Yes, the brackets are rounded and stable, and the system has no pressure points or electrical components.

4. **Does it need electrical power to operate?**

No, the panel does not require electricity. Heating occurs through hot water circulation.

5. **How long does it last?**

The stainless steel structure ensures longevity and is covered by a 5-year manufacturer's warranty.

Mini buying guide:

When choosing a professional shoe dryer for your hotel, shelter, or barracks, first consider the **drying capacity** in relation to daily footfall. Choose **stainless steel** structures to ensure durability, hygiene, and resistance in humid or cold environments.

Hot water models, such as the H1034_02, are ideal for reducing energy costs and utilizing existing systems, without the need for maintenance. Finally, evaluate the **ergonomics** and compatibility with different types of footwear: a flexible system like this adapts to every operational need.

Professional stainless steel shoe dryer, shoe dryer for mountain hotels, shoe dryer for barracks, hot water boot dryer, 10-pair stainless steel shoe dryer panel, shoe dryer for alpine shelters, eco-friendly wall-mounted shoe dryer.

**Images purely indicative.*

INFORMATION

- **Operation** Con acqua calda
- **Flow rate** 10 Paia



Professional footwear dryer h1034_02

Operation: Con acqua calda
Flow rate: 10 Paia

