



Professional operating room clock h775_13

Built-in operating room clock. Independent movement. Dimensions: W.460 x D.45 x H.147 mm.

The indoor digital LED clock is a device specifically designed **for environments such as operating rooms**, where precision and visibility are fundamental. This clock offers the possibility of displaying the time in hours, minutes, and seconds format, or it can be used as a stopwatch, thus adapting to different operational needs.

One of the distinctive aspects of this clock is the character height, with the numbers indicating hours and minutes being 7 cm high, while the seconds are represented with 5 cm characters. This size allows for optimal reading up to a **distance of 30 meters**, ensuring that the time is easily visible from every point in the operating room.

The casing design is another strength: made of stainless steel, it ensures sturdiness and durability over time, in addition to being compliant with the high hygienic standards required in medical environments. Furthermore, **the keyboard** is specifically adapted to meet cleaning requirements, allowing for easy disinfection and maintenance of hygiene.

Clock technical specifications:

- Red LED digital clock
- Stainless steel casing (IP65, IK07) with mineral glass protection and keyboard compliant with operating room requirements
- For indoor use
- Display of hours, minutes, and seconds
- Character height 7 cm (5 cm for seconds)
- Optimal reading distance: 30 meters
- Independent movement
- Flush mounting with 4 holes
- Reading angle: 120°
- Silent operation
- Programming and setting via 2 buttons
- Digits consisting of 7 segments with 3 LEDs each
- Consumption: 55mA
- Operating temperature: from -5 to 55°C
- Weight: approx. 2.2 kg
- Electrical protection: class 2
- Dimensions: W.460 x D.45 x H.147 mm

Keyboard technical specifications:


- Stopwatch hours - minutes - seconds from 0 to 23:59:59
- Waterproof with touch-sensitive keys
- Time display key with LED indicator.
- Stopwatch function key with LED indicator.
- Start/Stop key.
- Reset key: resets the stopwatch to zero.
- Connection to the clock via 2-wire telephone cable; maximum length 20 meters.
- Power supply through the clock.
- Ability to manage up to 10 clocks.
- Operating temperature: from 0 to 50°C
- Protection index: IP55
- Weight: 255g

Separately, as an **optional**, it is possible to purchase the **flush-mounted version of the keyboard** and the **back cover**, useful for protecting the clock from dust and humidity.

**Upon request and quote, it is possible to request the LED in other colors*




Dimensioni cover posteriore:



Dimensioni orologio:



Dimensioni incasso:



Visualizzazione immagine a schermo