



Professional veterinary table h938_18

Professional veterinary table in stainless steel with water-resistant phenolic top. Dimensions: W 160 x D 70 x H 85 cm.

The **professional stainless steel veterinary table h938_18** is an ideal solution for veterinary clinics and hospitals that require high-quality equipment and maximum hygiene. The general **stainless steel** construction guarantees optimal resistance to corrosion, wear and detergents, making it perfect for intensive use in medical environments. The worktop is made of **water-resistant phenolic material**, ensuring a surface that is easy to clean and capable of resisting liquids and chemicals, while always maintaining high hygiene standards.

The table stands out for its **robustness and versatility**, features that make it an ideal product for those looking for durable and easy-to-maintain equipment. Perfect for any veterinary clinic, this table is designed to withstand daily use and operational stress, without compromising performance quality.

The product is designed to be completely **disassemblable**, a feature that makes it particularly practical for frequent moves or for optimizing the workspace. It is equipped with **levelling feet**, which allow for stability adjustment on any type of flooring, ensuring safe use in every situation. The table's large dimensions offer a comfortable and spacious work surface, allowing for animal visits and treatments to be managed with ease.

Get the maximum quality and practicality with the **professional stainless steel veterinary table h938_18**.

Don't miss the opportunity to provide your clinic with durable and easy-to-clean equipment. **Buy now** or **request a quote** for large quantity supplies and take advantage of our special offers!

Technical features:

- **Structure:** Made of stainless steel, resistant to corrosion and wear.
- **Worktop:** In phenolic material, water and chemical resistant.
- **Dimensions:** W 160 x D 70 x H 85 cm.
- **Disassemblable:** Simple to assemble and disassemble, perfect for frequent moves.
- **Levelling feet:** Adjustable to guarantee maximum stability on uneven surfaces.

User benefits:

- Easy to clean thanks to the water-resistant top.
- Long-lasting even with intensive use thanks to the stainless steel structure.
- Easy to transport and assemble, ideal for dynamic environments.
- Optimal stability on any surface thanks to the levelling feet.

FAQ:

1. **Is the table suitable for clinics with limited space?**
Yes, being disassemblable, it can be easily stored and transported, optimizing space.
2. **Is it easy to clean after visits?**
Yes, the phenolic top is water and chemical resistant, making cleaning easier.
3. **Are the levelling feet adjustable?**
Yes, they allow the table to be adjusted for optimal stability on any surface.
4. **Is the table suitable for intensive use?**
Absolutely, the stainless steel construction and the phenolic top guarantee long life even in high-frequency use environments.

Mini buying guide:

When choosing a **professional veterinary table**, always consider the features that guarantee durability and practicality.

A **stainless steel** table offers superior resistance to corrosion and detergents, essential for intensive use in medical environments. A **phenolic worktop** ensures a waterproof and easy-to-clean surface, reducing maintenance time. If your clinic has limited space or requires frequent equipment movement, choose a **disassemblable** model for more flexible management. **Levelling feet** are an essential detail to ensure stability on uneven floors.

Professional stainless steel veterinary table, disassemblable veterinary table with levelling feet, water-resistant animal examination table, hospital clinical table for veterinary use.

**Image for illustrative purposes only.*

INFORMATION

- Length in millimeters 1600.000000
- Depth in millimeters 700.000000
- Height in millimeters 850.000000

Professional veterinary table h938_18

Professional veterinary table h938_18

Length in millimeters: 407 mm

Depth in millimeters: 400 mm

Height in millimeters: 399 mm

