



Recycled rubber wheel stop h972_141

Recycled rubber wheel stop, visible and resistant. Dimensions: L 183 x W 15 x H 10 cm.

The **recycled rubber wheel stop H972_141** è the ideal solution for **delimiting and securing parking areas**, driving lanes, industrial yards, public or private spaces. Thanks to its **extended length of 1830 mm**, this model offers **complete vehicle coverage**, facilitating correct positioning and improving the safety of movements.

Made of **high-density recycled rubber**, it è resistant, eco-friendly, and capable of withstanding heavy loads. The coating with **polymeric strips**, pigments, and **Class 1 reflective glass beads** ensures **high night visibility**, even in poorly lit environments. It è equipped with **four 12x115 mm reflectors**, two integrated **Ø 20 mm cable channels**, and **hole covers** for a precise and tidy finish.

Designed to resist **oil, grease, acids** and temperatures between **-40 °C and +60 °C**, the H972_141 wheel stop fits perfectly into **industrial, commercial, and residential contexts**. Installation è quick and easy thanks to the **included asphalt fixings**.

Buy the **professional wheel stop H972_141** now for safe and organized parking management or request a quote for bulk orders.

Technical features:

- **Material:** recycled rubber
- **Color:** black with yellow reflective inserts
- **Length:** 1830 mm
- **Width:** 150 mm
- **Height:** 100 mm
- **Weight:** 16 kg
- **Reflectors:** 4 (12 x 115 mm, Class 1)
- **Cable channels:** 2 of Ø 20 mm
- **Hole covers:** included
- **Mounting holes:** Ø 12 mm
- **Operating temperature:** from -40 °C to +60 °C
- **Resistance:** grease, oils, acids
- **Fixing system:** included, for asphalt

User benefits:

- **Long vehicle coverage:** perfect for delimiting an entire parking bay.
- **Visibility:** optimal thanks to Class 1 yellow reflectors.
- **High:** resistance to impacts, chemical agents, and thermal shocks.
- **Eco-friendly:** made from recycled rubber.
- **Included:** cable channels and accessories for a complete and functional installation.

FAQ:

1. **What è the main difference compared to other models?**
The H972_141 model has a greater length (1830 mm), ideal for delimiting the entire front of the vehicle.
2. **È it suitable for industrial areas with heavy traffic?**
Yes, thanks to the high-density rubber structure, it è also suitable for heavy vehicles and intensive use.
3. **È it visible even at night?**
Yes, it has four Class 1 reflectors and high-visibility reflective strips.
4. **Are the fixings included?**
Yes, the product is supplied with an asphalt fixing kit and hole covers.

5. Can it be used in outdoor environments?

Yes, it è resistant to temperatures from -40 °C to +60 °C and the most common atmospheric agents.

Mini buying guide:

When installing a wheel stop in a **company, residential or public parking lot**, it è essential to choose a model that combines **robustness, visibility and functionality**.

The H972_141 wheel stop è among the most complete in the range: its **length of 1830 mm** allows you to perfectly delimit every parking space, reducing the risk of impacts or incorrect maneuvers.

The **integrated cable channels** add value, making it ideal also for environments with wiring to protect.

If you are looking for an **eco-friendly, durable and complete** product, this model è the most suitable choice.

Long wheel stop for parking lots, recycled rubber parking stop, professional wheel stop 1830 mm, reflective parking stop, wheel stop with reflectors, industrial parking accessories.

**Images purely indicative.*

INFORMATION

- Length in millimetres 1830.000000

