Namiti S.r.l. - P. Iva 06162571217 - N. Rea: 799272
Sede leg.: Via Cortile, 16 - 80069 Vico Equense (NA)
Sede Op.: Corso Italia, 192 - 80063 Piano di Sorrento (NA)
Email: vendite@holity.com / Tel. 0818087452



Removable loading ramp without edges h1026_04

Non-slip aluminum ramp, removable and without edges. Length: 199.1 cm. Upright height: 6.5 cm. Capacity: 1000 kg.

The **H1026_04 loading ramp** is a **removable, lightweight, and functional solution**, designed to facilitate loading and unloading operations in **professional environments** such as warehouses, logistics companies, trade fairs, removals, and goods distribution. Thanks to the **absence of side edges**, it offers **maximum freedom of movement**, ideal for working on both sides of the platform.

The **non-slip tread surface** ensures a secure grip even in demanding operating conditions, while the **aluminum structure** ensures lightness, corrosion resistance, and long life. With a **capacity of up to 1000 kg at a 1000 mm wheelbase**, this ramp is perfect for use with **manual pallet trucks, hand trucks, or equipment with small rubber wheels**.

The **aluminum tongue anchoring system** allows the tongue to slide along the width of the platform and rotate in the head, facilitating **installation on different surfaces** in a simple and safe way. The included **head closure caps** prevent the accidental removal of the tongue during use.

Being **removable**, the ramp can be **positioned, moved, and stored quickly**, guaranteeing **maximum operational flexibility** in all temporary or dynamic contexts.

Buy the **H1026_04 removable ramp now!** Practical, lightweight, and without edges, for smoother and safer logistics.

Technical features:

- **Type:** removable loading ramp without edges
- **Material:** aluminum
- **Tread surface:** non-slip
- **Standard length (L):** 1991 mm
- **Internal width (A):** 690 mm
- **External width (B):** 750 mm
- **Upright height (D):** 65 mm
- **Capacity:** 1000 kg at 1000 mm wheelbase
- **Unit weight:** 24 kg
- **Anchoring system:** sliding and rotatable aluminum tongue
- **Included equipment:** head closure caps

User benefits:

- **Solution:** removable, easy to position and move.
- **Greater:** loading freedom thanks to the absence of side edges.

- **Anchoring:** safe and adjustable with aluminum tongue.
- **Structure:** lightweight yet robust in rust-proof aluminum.
- **Ideal:** for logistics, events, transport, and goods handling.

FAQ:

1. **Is the ramp suitable for manual pallet trucks?**
   Yes, it is optimized for use with pallet trucks and manual trolleys.
2. **Is the ramp fixed or mobile?**
   It is a removable ramp, designed to be easily positioned and removed.
3. **Is it also available with edges?**
   Yes, the version with edges is the H1026_03 model, for greater lateral containment.
4. **How does the anchoring system work?**
   The aluminum tongue can slide along the width and rotate, adapting perfectly to the support surface.
5. **What kind of load can it support?**
   It supports up to 1000 kg at a 1000 mm wheelbase, also suitable for heavy loads.

Mini buying guide:

If you are looking for a ramp to **use quickly, move and store without difficulty**, the **H1026_04 is the perfect solution**.

The **lightweight yet resistant aluminum structure**, combined with the **absence of side edges**, guarantees **maximum operational versatility**.

Ideal for transport companies, events, deliveries, and dynamic warehouses.

The **adjustable anchoring system** allows for secure fastening on different surfaces, while the closure caps increase safety.

A smart choice for those who need **efficiency and practicality**.

Removable ramp without edges H1026_04, non-slip aluminum loading platform, logistics pallet truck ramp, lightweight loading unloading ramp without edges, portable aluminum ramp for trolleys.

**Images purely indicative.*

INFORMATION

- **Load capacity** 1000 Kg
- **Side edges** Borderless

Removable loading ramp without edges h1026_04





Removable loading ramp without edges h1026_04

Flow rate: 1000 Kg
Side edges: Borderless

