



Road construction cone h940_03

75 cm road cone in blown polyethylene with reinforced rubber base and double reflective band for maximum visibility. Dimensions: Ø 43 x H 75 cm.

The **road construction cone h940_03** is a robust and highly visible solution, designed to ensure safety and delineate high-traffic areas and airports. Made of **hot-blown polyethylene**, the cone is resistant to impacts and the most adverse weather conditions, maintaining its integrity even after prolonged use.

The **reinforced rubber** base gives the cone excellent stability, even in windy conditions or heavy traffic. With a **total weight of 4.4 kg** and a **base diameter of 43 cm**, it does not require additional ballast, making it easy to position and transport.

The **two reflective bands** improve visibility, both day and night, ensuring greater safety in low light conditions. With a thickness of **2.2 mm**, this cone is designed to withstand daily wear and tear, offering long-lasting durability.

Perfect for signaling on highways, high-traffic roads, and airports, the **h940_03 cone** is an indispensable product for those looking for practicality, resistance, and safety.

Ensure safety and order with the **road construction cone h940_03**. Resistant, visible, and easy to transport: order now!

Technical specifications:

- **Height:** 75 cm
- **Material:** Hot-blown polyethylene
- **Base:** Reinforced rubber
- **Base diameter:** 43 cm
- **Total weight:** 4.4 kg
- **Thickness:** 2.2 mm
- **Reflective bands:** 2

User benefits:

- **High stability:** The reinforced rubber base ensures that the cone remains stable in all conditions.
- **Maximum visibility:** The two reflective bands guarantee safety even in low light conditions.
- **Ease of use:** Lightweight and easy to transport, it does not require additional ballast.
- **Resistance:** Made of hot-blown polyethylene, it resists impacts and weathering agents.
- **Versatility:** Ideal for road construction sites, parking lot delineation, or temporary events.

FAQ:

1. Is this cone suitable for use in windy environments?

Yes, thanks to the reinforced rubber base and the weight of 4.4 kg, the cone guarantees stability even in the presence of wind.

2. **Do the reflective bands work at night?**

Yes, the two reflective bands are designed to guarantee visibility in low light conditions.

3. **Is it weather-resistant?**

Absolutely yes, the blown polyethylene and the rubber base make it ideal for outdoor use in any weather condition.

4. **Can I use it to delineate temporary parking areas?**

Certainly! This cone is perfect for delimiting parking spaces or temporary work zones.

Quick buying guide:

The **road construction cone h940_03** is an excellent choice for those looking for a resistant and versatile product. Thanks to its robust hot-blown polyethylene structure and the reinforced rubber base, the cone is designed to last a long time, even in difficult weather conditions. The two reflective bands ensure high visibility at any time of the day, making it ideal for road construction sites, urban works, or delineation of industrial areas and parking lots.

If you need a reliable product that combines safety, practicality, and durability, this cone is the perfect solution for your needs!

75 cm road cone, construction cone, cone with reflective bands, site delineation, road safety.

**Images purely indicative.*

INFORMATION

- **Height in millimetres** 750.000000

