



Self-loading stretcher capacity 250 kg h687_56

Self-loading ambulance stretcher with 5 variable heights. L. 1970 x D. 570 x h. 750 mm.


Safe, easy-to-handle and lightweight self-loading ambulance stretcher. Adjustable to 5 different heights to facilitate patient transfer operations onto the stretcher platform. The transition from one level to another is very intuitive and safe and occurs via **telescopic handles** located in easily accessible positions. At the base, it is equipped with **4 swivel wheels with a diameter of 20 cm**. The **front wheels** are equipped with a **locking mechanism**, which can be activated via two side handles, ensuring greater control and safety. This results in **high maneuverability of the device** during the transport of patients and the injured, avoiding the need to lift it off the ground when obstacles are present. Thanks to its **load capacity (250 kg)** it also allows for the transport of heavy patients. The **platform** is made of **red high-density polyethylene**. The **frame** is made of **grey/black stainless steel**. The **backrest** of the stretcher is **adjustable** and the platform can take **Trendelenburg and anti-Trendelenburg positions**. The **side rails** are **collapsible**. The leg release handle is equipped with an integrated system that allows the stretcher to be released from the fastening system without having to operate controls on the fastening itself. Supplied as standard: **belt with integrated rewinding system** and **chest belt with integrated rewinding system**. **Class I medical device, 10G certified with CND classification V0899.**

Technical characteristics:

- Dimensions: L. 1970 x D. 570 mm
- Loading height: 750 mm
- Weight: 43 kg
- Capacity: 250 kg
- Frame material: stainless steel
- Frame color: grey/black
- Platform material: high-density polyethylene
- Platform color: red
- Adjustable backrest
- Trendelenburg anti-shock positions
- 4 swivel wheels Ø 200 mm
- System that makes the rear wheels swivel as well, when activated
- Brakes on the rear wheels
- Collapsible side rails
- Side rails length: 680 mm
- Side rails height: 200 mm
- 5-level variable height system
- Belt with rewinding system
- Chest belt with rewinding system
- Class I MD in accordance with Reg. 2017/745/EU
- CND Classification: V0899
- 10G Certification

INFORMATION

- Capacity 250 Kg



Self-loading stretcher capacity
250 kg h687_56

Capacity: 250 Kg