



Silver bicycle rack for public spaces h1023_14

3-space steel bicycle rack, ready for use, with alternating arrangement. Dimensions: W 105 x D 53.8 x H 40.5 cm.

The **H1023_14 3-space bicycle rack for public spaces** is a compact and durable solution for bicycle parking in high-traffic areas such as **schools, stations, theaters, pharmacies, sports centers** and commercial areas. Thanks to the **welded steel structure** and the **corrosion-resistant protective finish**, it guarantees long-lasting durability even in outdoor environments exposed to the elements.

The system is designed for **unilateral parking of up to 3 bicycles**, with **alternating heights** between the bike spaces to **optimize space** and facilitate access. Each bike space has a **distance between wheels of 350 mm**, sufficient to avoid contact between handlebars. The support can accommodate bicycles with **tires up to 55 mm wide**, including pedelec models.

One of the most appreciated features of this model is that it **requires no assembly**: it is supplied **already assembled** and ready for use. Floor mounting is optional and can be performed with **brackets sold separately**, making installation extremely simple and flexible.

The H1023_14 is also ideal for **serial connection**, allowing for the creation of modular, expandable bicycle parking lots that are easily adaptable to any urban context.

Buy the **H1023_14 bicycle rack** now: compact, ready for use and perfect for any public space! Contact us for modular configurations and large-scale supplies.

Technical characteristics:

- **Bike capacity:** 3 spaces
- **Configuration:** Unilateral, high/low alternation
- **Material:** Corrosion-treated steel
- **Construction type:** Welded, supplied already assembled
- **Mounting type:** Floor-mounted
- **Finish:** Silver color
- **Weight:** 9.5 kg
- **Distance between bikes:** 350 mm
- **Max tire width:** 55 mm
- **Dimensions:** W 105 x D 53.8 x H 40.5 cm
- **Unilateral parking:** approx. 1850 mm

User benefits:

- **No assembly required:** ready for use.
- **Robust** corrosion-resistant steel structure.
- **Parking:** orderly thanks to the alternating arrangement.
- **Compatible:** with traditional bicycles and pedelecs.
- **Possibility** of serial expansion for large installations.

FAQ:

1. **Does the bike rack need to be assembled once received?**
No, the product is supplied already welded and ready for use; it requires no assembly.
2. **Is it possible to fix it to the floor?**
Yes, fixing is possible using anchoring brackets sold separately.

3. **Which bicycles can it accommodate?**

The bike rack supports traditional models, e-bikes and pedelecs, with tires up to 55 mm wide.

4. **Is it expandable?**

Yes, it is designed for serial connection, ideal for creating large modular parking areas.

5. **How much space is needed for installation?**

For unilateral parking, approximately 1850 mm of depth is required; for bilateral parking (optional), approximately 3200 mm.

Mini buying guide:

When choosing a bicycle rack for public environments, it is essential to evaluate **the model's capacity**, the **type of configuration** (unilateral or bilateral), and the **space available for installation**.

Models **already ready for use**, such as the H1023_14, represent an excellent choice for those seeking **speed of installation and reduced maintenance**.

Always check the **material resistance** (galvanized or treated steel), the **distance between bike spaces** and the **compatibility with different types of bicycles**, including wider ones like e-bikes.

Finally, consider the possibility of **connecting multiple modules in series**, ideal for future expansions.


Public space steel bicycle rack, 3-space unilateral bicycle support, ready-to-use bicycle rack, compact bicycle parking, alternating bicycle rack for e-bikes, modular urban bicycle rack.

**Images for illustrative purposes only.*

INFORMATION

- **Typology** al suolo
- **length** 1050 mm
- **fixing** ground
- **places** 3

Silver bicycle rack for public spaces h1023_14



Silver bicycle rack for public spaces h1023_14

Typology: al suolo
Length: 1050 mm
Fixing: a terra
Places: 3

