



Single-sided bike rack h1023_12

4-place rack for public spaces with vertical arches, coated supports and anti-theft eyelets. Dimensions: W 140 x D 86.7 x H 85.6 cm.

The **H1023_12 bike rack** is a **professional and safe solution** for parking **up to 4 bicycles** in public and corporate environments. Its **compact single-sided design** and the integration of **vertical arches** with plastic-coated frame supports make it ideal for installations in confined spaces, **optimizing the use of the available area**.

Every detail is designed to offer **comfort, safety, and protection**: the **vertical supports** ensure the correct position of the bicycle, avoiding tilting that could cause damage. The **plastic coatings** protect the frames from scratches or deformations, while the **integrated steel eyelets** allow the bike to be securely anchored with chains or locks, preventing theft.

An additional advantage is provided by the **alternating position configuration (high and low)** which allows for **space saving** and orderly parking for more bikes. The system is **prefabricated and bolted**, supplied in a **mounting kit** with provision for **ground fixing and serial connection**, ideal for public parking lots, schools, condominiums, customer areas, or companies.

The product is **compliant with the DIN 79008:2016-05 point 7.2 regulation**, which establishes requirements for anti-theft security in public bike parking systems.

Install the **H1023_12 rack** today to offer your users safe, tidy, and professional bike parking, compliant with European safety standards.

Technical features:

- **Capacity:** 4 bicycles
- **Configuration:** Single-sided
- **Material:** Steel with plastic coatings
- **Color:** Silver
- **Weight:** 32 kg
- **Mounting:** Floor-mounted (brackets included), prefabricated for serial connection
- **Construction type:** Self-supporting, bolted, mounting kit
- **Supports:** Vertical, with protective plastic coating
- **Anti-theft eyelets:** Yes, integrated
- **Distance between bicycles:** 350 mm
- **Supported wheel width:** Up to 55 mm
- **Required space (depth):** 1850 mm
- **Dimensions:** W 140 x D 86.7 x H 85.6 cm
- **Regulation:** Compliant with DIN 79008:2016-05 point 7.2

User benefits:

- **Safety:** increased with integrated anti-theft eyelets.
- **Protection:** of the frame thanks to plastic-coated supports.
- **Position:** alternating high/low for space saving.
- **Suitable:** for all types of bicycles, including E-Bikes.
- **Easy:** assembly with provision for serial installations.

FAQ:

1. **How many bicycles can this rack accommodate?**

It accommodates up to 4 bicycles in a single-sided configuration.

2. **Is it suitable for E-Bikes or high-end bikes?**

Yes, thanks to the sturdy supports and plastic coating, it also protects the most delicate bikes.

3. **Can I install it in narrow spaces?**

Yes, thanks to the single-sided configuration and the alternating high/low system, it is designed to optimize space.

4. **Does it require special maintenance?**

No, the steel structure is resistant to atmospheric agents and requires minimal routine maintenance.

5. **Is it safe against theft?**

Yes, it is equipped with integrated steel eyelets and complies with the DIN 79008:2016-05 regulation.

Mini buying guide:

If you have limited space, such as **perimeter walls, walkways, or narrow company areas**, a **single-sided bike rack** is the best choice.

The **H1023_12** model with its **protected vertical supports and anti-theft eyelets** guarantees maximum safety with **minimum footprint**.


It is ideal for **temporary or permanent parking**, even in the presence of **E-Bikes or high-end bicycles**, offering excellent protection against damage and theft attempts.

4-place single-sided bike rack, anti-theft bike rack with eyelets, floor-mounted bike park with plastic-coated supports, compact bike rack for narrow spaces, bike rack with alternating high-low configuration, e-bike rack DIN 79008 regulation, public bike parking with mounting kit, professional rack for companies and schools.

**Images for illustrative purposes only.*

INFORMATION

- **Typology** al suolo
- **length** 1400 mm
- **fixing** ground
- **places** 4



Single-sided bike rack h1023_12

Typology: al suolo

Length: 1400 mm

Fixing: a terra

Places: 4

