




Totem with defibrillator alarm and internal lighting h104310

Vertical and high-tech h104310 rescue station (Free-Standing) consisting of an upper cabinet (420x210x480 mm) and coordinated pedestal (420x210x1000 mm) in RAL 9010 White electro-galvanized steel.

The **h104310 defibrillator totem** is a high-tech Free-Standing station, designed to establish an independent, safe, and 24/7 visible cardio-protection point in both indoor and outdoor settings. The structure is entirely made of high-thickness **electro-galvanized carbon steel sheet**, treated with high-resistance polyester powder coating against atmospheric agents in **RAL 9010 White**. The upper cabinet integrates an advanced electronic system with a **24-Volt power supply**, which manages an **integrated acoustic anti-tamper alarm** and an **internal lighting circuit with an automatic dusk-to-dawn sensor** for maximum nighttime traceability. Equipped with a hinged door with a plexiglass porthole, rubber gasket on the jamb, and rounded safety corners, the totem features a handle closure with a small-hole accessory for a single-use emergency seal, a configuration specifically designed to exclude the use of rigid padlocks. The self-supporting pedestal is designed for stable floor fixing and features a removable rear cover for protected and hidden passage of electrical cables.

Technical specifications

- **Structural material:** High-resistance electro-galvanized carbon steel sheet
- **Finish:** Weather and UV-resistant polyester powder coating
- **Base color:** RAL 9010 White
- **Cabinet dimensions:** 420 x 210 x 480 (WxDxH) mm

- **Pedestal dimensions:** 420 x 210 x 1000 (WxDxH) mm
- **Total totem height:** 1480 mm (1.48 meters for perfect accessibility)
- **Cabinet weight:** 7 kg
- **Pedestal weight:** 7.5 kg
- **Total structure weight:** 14.5 kg
- **Integrated technology:** Door opening sound alarm + LED internal dusk-to-dawn lighting
- **System power supply:** 24 Volt
- **Door configuration:** 1 hinged door with plexiglass window and two sturdy painted zamak hinges
- **Internal insulation:** Continuous rubber gasket positioned on the door jamb
- **Closing safety system:** Handle with small-hole accessory for plastic or metal seals (excludes padlocks)
- **Wiring:** Removable rear cover on the pedestal designed for internal cable passage
- **Anchoring:** Pedestal base provided with holes for rigid floor fixing
- **Visual signage:** AED identification sticker included on the structure

** Images for illustrative purposes only*

INFORMATION

- **Length in millimetres** 420.000000
- **Depth in millimetres** 210.000000
- **Height in millimetres** 1480.000000

Totem with defibrillator alarm and internal lighting h104310

