



Used oil container h883_66

Steel container for waste oil. Capacity: 500 lt. Dimensions: W 700 x D 900 x H 1100 mm.

The **H883_66 waste oil container** is a **professional storage station**, designed for the **safe and compliant collection of used oils according to current regulations**, in industrial environments, mechanical workshops, garages, and companies in the food or logistics sector.

Made with a **double-chamber carbon steel structure**, this container guarantees maximum resistance to chemical agents and waste oils, and is equipped with an **external basin with anti-corrosion treatment** to prevent any contamination of the soil.

The **hinged top lid**, constructed of **weather-resistant polypropylene**, is **lockable** to prevent accidental or unauthorized opening. It includes a **nozzle with a drain filter** and an internal **level measurement system** to monitor filling. Furthermore, it is equipped with an **anti-tip lock** and preparation for a hermetic seal, which protects against the entry of rainwater and prevents the escape of potentially dangerous liquids.

The entire structure is manufactured **in compliance with Ministerial Decree 392/96**, the reference regulation for the elimination of waste oils, and is produced with **strong quality requirements**, including: welder qualification according to **EN ISO 9606-1:2013**, welding process qualification **UNI EN ISO 15614-1:2012**, compliance with **UNI EN ISO 3834-2:2006 requirements** and production control plan according to **UNI EN 1090-1**.

Ensure the safety and regulatory compliance of your facility. Buy the **H883_66 container** now or request a quote for custom-made industrial supplies.

Technical features:

- **Type:** Storage station for waste oil
- **Capacity:** 500 liters
- **Dimensions:** 700 x 900 x H 1100 mm
- **Internal material:** Enameled carbon steel with anti-corrosion treatment
- **External material:** Enameled steel with anti-corrosion containment basin
- **Lid:** In resistant polypropylene
- **Anti-tip lock**
- **Seat for hermetic seal**
- **Lockable closure**
- **Drainage system:** Nozzle with integrated filter
- **Level control:** Yes, built-in measurement system
- **Regulation:** Compliant with Ministerial Decree 392/96
- **Certifications:** **UNI EN 1090-1** (production control), **EN ISO 9606-1:2013** (welder qualification), **UNI EN ISO 15614-1:2012** (welding processes) and **UNI EN ISO 3834-2:2006** (welding quality requirements)

User benefits:

- **Compliant:** with regulations for the management of waste oils.
- **Maximum:** protection from spills and water infiltration.

- **Structure:** in double-chamber anti-corrosion steel.
- **Lid:** with anti-tip system and safety lock.
- **Ideal:** for industrial use, workshops, companies, and plants.

FAQ:

1. **Is the container approved for waste oil?**

Yes, it complies with Ministerial Decree 392/96 and is designed for storing waste oils in complete safety.

2. **Is it weather-resistant?**

Yes, thanks to the anti-corrosion treatment and the polypropylene lid designed for outdoor use.

3. **Can the lid be locked with a padlock?**

Yes, it is lockable for added security.

4. **Is it possible to monitor the level of the container?**

Yes, the container is equipped with an integrated level measurement system.

5. **Does the lid prevent the entry of rainwater?**

Yes, thanks to the hermetic seal, the lid prevents infiltration and leakage.

Buying guide:

For the correct management of **waste oil in industrial or professional environments**, it is essential to have certified, robust containers that comply with regulations.

The H883_66 model guarantees **environmental safety, long-term durability**, and **protection against leaks and infiltration**, offering a compliant solution for companies that handle or dispose of mineral or food oils.

500-liter waste oil container H883_66, certified steel used oil storage station, waste oil container Ministerial Decree 392/96, double-chamber used oil container, used oil tank for workshop industry EN ISO standard

**Image for illustrative purposes only.*

INFORMATION

- **Typology** per olio usato
- **Capacity** 500 lt
- **Height in millimeters** 1100.000000
- **Width in millimeters** 700.000000
- **Depth in millimeters** 900.000000

Used oil container h883_66

Used oil container h883_66

Typology: per olio usato

Capacity: 500 lt

