



Veterinary stretcher for animals h992_02

Veterinary stretcher for animals, in stainless steel and PVC fabric, with straps and wheels. Dimensions: W 125 x D 62 x H 7 cm.

The **H992_02 veterinary stretcher for animals** is a professional and reliable tool, designed for the **safe and comfortable transport of animals in veterinary healthcare environments**. It is ideal for use in **clinics, mobile surgeries, veterinary hospitals, and emergency situations**, offering practicality, stability, and durability over time.

Designed and produced entirely in **Italy**, the stretcher is made with **high-quality raw materials**, all coming from Italian and German suppliers. The **structure is made of AISI 304 stainless steel**, corrosion-resistant, hygienic, and easy to sanitize, while the support surface is made of **100% polyester technical fabric coated in PVC**, a certified material with **high tear resistance (DIN 53363)** and **maximum adhesion according to ISO 2411**.

The stretcher design includes **three straps with velcro closure** to secure the animal during movement, two **side handles** for a comfortable and safe grip by the operator, and **two multi-terrain wheels** in polyamide with **ball bearings**, which allow the stretcher to be easily transported even on uneven surfaces.

Compact and lightweight (only **5 kg**), it can support animals up to **8 kg** in weight, making it perfect for small animals in outpatient and first aid contexts. It is an indispensable tool for those who want to combine **operational efficiency, construction quality, and safety**.

Ensure maximum comfort for your four-legged patients. Buy the **H992_02 stretcher** now or request a quote for professional veterinary supplies.

Technical features:

- **Structure:** AISI 304 Stainless Steel (origin Italy)
- **Cover:** PVC coated polyester (origin Germany)
- **Dimensions:** W 125 x D 62 x H 7 cm
- **Weight:** 5 kg
- **Maximum load capacity:** 8 kg
- **Straps:** 3 with velcro closure
- **Handles:** 2 lateral for lifting
- **Wheels:** 2 in polyamide, multi-terrain, with ball bearings
- **Operating temperature:** from -30°C to +70°C
- **Mechanical resistance:** High, tested according to DIN 53363 and ISO 2411
- **Origin:** 100% Made in Italy

Benefits for the user:

- **Structure:** resistant, lightweight, and easy to sanitize.
- **High:** safety during transport thanks to the locking straps.
- **Maneuverability:** optimal even on irregular terrain.
- **Materials:** certified for durability and resistance.
- **Made:** in Italy with high-quality European components.

FAQ:

1. **Is the stretcher washable and disinfectable?**
Yes, both the stainless steel structure and the PVC cover are easy to clean and sanitize.
2. **What is the maximum weight supported?**
The stretcher has a maximum capacity of 8 kg, indicated for small animals.
3. **Are the wheels suitable for outdoor use?**
Yes, the multi-terrain polyamide wheels with bearings allow transport even on uneven surfaces.

4. Is it easy to transport and lift?

Yes, it weighs only 5 kg and is equipped with two ergonomic side handles.

5. Is the cover resistant to tears or scratches?

Yes, it is tested according to DIN 53363 to ensure high mechanical resistance.

Mini buying guide:

If you work in a veterinary context and need a reliable tool for the **safe transport of small animals**, the H992_02 stretcher is the right choice.

The **compact design, resistant materials, and certified Italian production** make it ideal for **mobile surgeries, clinics, and first aid centers**.

Evaluate the capacity based on your type of patients, ensure the wheels are suitable for your work environment, and choose a solution that guarantees **hygiene, comfort, and durability**.

Veterinary stretcher for animals, stainless steel veterinary clinic stretcher, veterinary surgery animal transport, stretcher with multi-terrain wheels, H992_02 professional stretcher for dogs and cats, lightweight stretcher for small animals.

**Images are purely indicative.*

INFORMATION

- **Length in millimeters** 1250.000000
- **Depth in millimeters** 620.000000
- **Height in millimeters** 70.000000



HOLITY.COM



HOLITY.COM



HOLITY.COM