Namiti S.r.l. - P. Iva 06162571217 - N. Rea: 799272
Sede leg.: Via Cortile, 16 - 80069 Vico Equense (NA)
Sede Op.: Corso Italia, 192 - 80063 Piano di Sorrento (NA)
Email: vendite@holity.com / Tel. 0818087452



Warehouse loading ramp without curbs h1026_12

Aluminium ramp without curbs and high grip. Capacity: 2000 kg. Standard length: 199.1 cm.

The **H1026_12 loading ramp** is designed to meet the needs of the **logistics and manufacturing** sectors, where efficiency and resistance are essential during **loading and unloading operations with electric pallet trucks**. Made of **high-strength aluminium**, this ramp combines **structural robustness** with an **anti-slip surface with increased grip**, to ensure maximum safety even in the most complex operational conditions.

Thanks to the **absence of side curbs**, the H1026_12 offers **maximum freedom of movement** from both sides, making it particularly useful in warehouses and dynamic environments where **operational flexibility** is required. The **low weight of 38 kg** facilitates movement, while the **load capacity of up to 2000 kg at 1000 mm wheelbase** makes it perfect for use with heavy equipment.

The **aluminium tongue fixing system** allows for a safe and quick connection: the tongue can translate across the entire width of the platform and rotate in the head, while the special **closing caps** prevent accidental escape. The ramp is completely **removable**, ideal for those looking for a temporary but solid solution.

Maximum efficiency for your warehouse: choose the **H1026_12 ramp without curbs.** Order it now!

Technical features:

- **Type:** removable ramp without curbs
- **Material:** aluminium
- **Walking surface:** anti-slip with high grip
- **Length (L):** 1991 mm
- **Internal width (A):** 940 mm
- **External width (B):** 1000 mm
- **Profile height (D):** 115 mm
- **Capacity:** 2000 kg at 1000 mm wheelbase
- **Unit weight:** 38 kg
- **Anchoring system:** sliding and rotatable tongue + head caps
- **Sectors of use:** logistics, warehouses, industry, heavy handling

User benefits:

- **Greater:** freedom of access thanks to the absence of curbs.
- **Surface:** anti-slip high-grip for increased safety.
- **High:** load capacity up to 2000 kg.
- **System:** versatile, safe and removable fixing system.

- **Perfect:** for use in warehouses, logistics platforms and production centers.

FAQ:

1. **Is it compatible with heavy electric pallet trucks?**
   Yes, it is designed for use with high-performance electric pallet trucks.
2. **Does it need fixed installation?**
   No, it is removable and easily anchored via the aluminium tongue system.
3. **What is the maximum capacity of the ramp?**
   It supports up to 2000 kg at 1000 mm wheelbase, ideal for intense movements.
4. **Does this version have side curbs?**
   No, this model is without curbs. If you need curbs, you can consider model H1026_11.
5. **Is it suitable for all loading platforms?**
   Thanks to the adjustable anchoring system, it easily adapts to various flat surfaces.

Mini buying guide:

In the context of **modern logistics** and **advanced manufacturing**, it is essential to use efficient tools to ensure the **continuity of operations**.

The **H1026_12** ramp is the ideal solution for those looking for **a safe, high-capacity and removable ramp**.

The absence of curbs allows for **quick and flexible maneuvers**, while the anchoring system ensures **stability without permanent installations**.

Its light and resistant structure makes it perfect for **daily use in warehouses, distribution centers and production plants**.

Loading ramp without curbs H1026_12, aluminium ramp 2000 kg, logistics ramp for electric pallet trucks, removable ramp for warehouses, anti-slip ramp without curbs.

**Images are purely indicative.*

INFORMATION

- **Load capacity** 2000 Kg
- **Side edges** Borderless

Warehouse loading ramp without curbs h1026_12









Warehouse loading ramp without curbs h1026_12

Flow rate: 2000 Kg
Side edges: Borderless