



## Waste mineral oil collection container 500 It h1001\_02

500 It used oil container, in LLDPE with filter drainer and double tank. Dimensions: Ø 96 x H 124 cm.

The **H1001\_02 waste oil collection container** is designed for the **safe and compliant management of waste lubricating oils**, both **mineral and synthetic**, from internal combustion engines, transmission systems, hydraulic systems, turbines and industrial machinery. Ideal for **mechanical workshops, maintenance companies, industrial plants and car repairers**, this container offers a capacity of **500 liters** and guarantees **long-term reliability**.

Made of **high-density linear polyethylene (LLDPE)**, resistant to chemical and atmospheric agents, it is equipped with a **double tank**: an **internal tank** for oil storage and an **external tank** with a **safety containment** function against any leaks or spills. The container integrates a **built-in filter drainer**, a **discharge port with a threaded lid**, a **visual level indicator** and a **specific warning light to detect leaks**, ensuring **constant monitoring and environmental safety**.

The structure with **black external and yellow internal coloring** allows for easy identification of residues and anomalies. Compliant with **Legislative Decree January 27, 1992, n. 95**, it respects European directives 75/439/EEC and 87/10/EEC for the elimination of waste oils. It is recommended to **install it on a flat surface, in a covered environment protected from the sun**, to preserve the material's durability and the system's functionality.

Choose the **H1001\_02 container** for safe and compliant industrial operation. Order today or request a quote for multiple supplies!

### Technical features:

- **Material:** High-density linear polyethylene (LLDPE)
- **Capacity:** 500 liters
- **Structure:** Double tank (containment + safety)
- **Filter drainer:** Built-in
- **Oil discharge:** Port with threaded lid
- **Indicators:** Visual level + leak warning light
- **Color:** Black external – yellow internal
- **Dimensions:** Ø 96 x H 124 cm
- **Installation:** On a flat surface, covered and protected from the sun
- **Regulation:** Compliant with Legislative Decree 27/01/1992 n.95 and directives 75/439/EEC and 87/10/EEC

### User benefits:

- **Large:** capacity for industrial and professional needs.
- **Maximum:** safety thanks to the external containment tank.
- **Control:** continuous monitoring of the contents with integrated indicators.

- **Resistant:** to chemical substances and environmental conditions.
- **Compliant:** with European regulations for waste oil management.

#### FAQ:

**1. What is the main use of this container?**

It is designed for the collection and safe storage of industrial waste oils, including those contained in filters.

**2. Can it be placed outdoors?**

No, it is advisable to install it in a covered place protected from the sun, on a flat surface.

**3. How is the oil discharged?**

Through the discharge port with a threaded lid, easy to open and close safely.

**4. Does it comply with Italian and European regulations?**

Yes, it complies with Legislative Decree January 27, 1992 n. 95 and European directives 75/439/EEC and 87/10/EEC.

**5. What advantage does the double tank offer?**

It guarantees an additional level of safety by containing any leaks and protecting the work environment.

#### Mini buying guide:

For companies and workshops that handle large volumes of **used lubricants**, it is essential to have **certified and safe containers**.

The 500-liter **H1001\_02** model is the ideal solution for managing oil residues in compliance with current laws.

Thanks to the **external safety tank**, the **integrated indicators** and the **resistance of the materials**, it allows for **reliable and compliant containment**. The ideal choice for those looking for a **robust, durable and easily manageable** container, even in high-intensity industrial work environments.

*Waste oil container 500 liters, oil collection tank with filter drainer, used oil container CE regulations, waste lubricating oil storage, double tank industrial oil container.*

*\*Images for illustrative purposes only.*

## INFORMATION

- **Typology** per olio usato
- **Capacity** 500 lt
- **Height in millimeters** 1240.000000
- **Width in millimeters** 960.000000
- **Depth in millimeters** 960.000000



Waste mineral oil  
collection container 500  
lt h1001\_02

---

Typology: per olio usato  
Capacity: 500 lt